

Аккумуляторы НТ

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gvc@nt-rt.ru || сайт: <http://greven.nt-rt.ru/>

Flooded-HT

Vehicle starting, developed for use in high temperature areas, suitable for small and medium-sized vehicles without start-stop system



Model	magic eye	Rated Voltage	20hr@ 1.75V/cell	RC	CCA (-18°C)	Length	Width	Height	Weight	Cell layout	Terminal	Hold Down	Handle
		V		min	A	mm	mm	mm	kg				
86-400HT	√	12	55	88	400	229	171	205	14	1	1	B01	TS3
65-420HT	√	12	60	98	420	298	190	192	17.4	1	1	B01	TS4
65-600HT	√	12	80	138	600	298	190	192	19.7	1	1	B01	TS4
54024HT	√	12	40	61	310	207	175	190	11.3	0	1	B13	TS2
54459HT	√	12	44	68	350	207	175	190	12.1	0	1	B13	TS2
55025HT	√	12	49	77	380	207	175	190	12.5	0	1	B13	TS2
55037HT	×	12	48	75	370	242	175	190	13.9	0	1	B13	TS2
55037HT	√	12	48	75	370	242	175	190	13.9	0	1	B13	TS2
55530HT	√	12	55	88	420	242	175	190	14.4	0	1	B13	TS2
56219HT	√	12	60	98	470	242	175	190	15.0	0	1	B13	TS2
56221HT	√	12	60	98	470	242	175	190	15	1	1	B13	TS2
56053HT	√	12	60	98	440	278	175	190	16.0	0	1	B13	TS6

56055HT	√	12	60	98	440	278	175	190	16	1	1	B13	TS6
56545HT	√	12	65	108	480	278	175	190	16.4	0	1	B13	TS6
56548HT	√	12	65	108	480	278	175	190	16.4	1	1	B13	TS6
57220HT	√	12	72	122	520	278	175	190	17.2	0	1	B13	TS6
57543HT	√	12	75	128	540	314	174	190	19.2	0	1	B13	TS6
58043HT	√	12	80	138	580	314	174	190	19.6	0	1	B13	TS6
58520HT	√	12	85	148	620	314	174	190	20.4	0	1	B13	TS6
58519HT	√	12	85	148	560	351	174	188	21.2	0	1	B13	TS6
59524HT	√	12	95	169	640	351	174	188	22.7	0	1	B13	TS6
60038HT	√	12	98	175	680	351	174	188	23.0	0	1	B13	TS6
61042HT	×	12	110	201	780	394	175	190	25.5	0	1	B13	TS6
54025HT	√	12	40	61	350	206	174	173	11.2	0	1	B13	TS2
54069HT	√	12	40	61	340	242	175	175	12.3	0	1	B13	TS2
54549HT	√	12	45	70	380	242	175	175	12.8	0	1	B13	TS2
56420HT	√	12	65	108	500	276	174	174	16.1	0	1	B13	TS1
56539HT	√	12	65	108	460	314	174	174	17	0	1	B13	TS6
57539HT	√	12	75	128	540	314	174	174	18.3	0	1	B13	TS6
36B20LHT	√	12	32	47	260	195	126	222	9.1	0	3	B0	TS1
38B20LHT	√	12	36	54	300	195	126	222	9.6	0	3	B0	TS1
38B20LHT	√	12	36	54	300	195.5	128	222	9.7	0	3	B0	TS9
38B20RHT	√	12	36	54	300	195	126	222	9.6	1	3	B0	TS1
36B24LSHT	√	12	32	47	270	236	128	222	10.4	0	1	B0	TS1
38B24LSHT	×	12	36	54	300	236	128	222	10.9	0	1	B0	TS1
38B24LSHT	√	12	36	54	300	236	128	222	10.9	0	1	B0	TS1
38B24LHT	×	12	36	54	300	236	128	222	10.9	0	3	B0	TS1
38B24LHT	√	12	36	54	300	236	128	222	10.9	0	3	B0	TS1
38B24RSHT	×	12	36	54	300	236	128	222	10.9	1	1	B0	TS1

38B24RSHT	√	12	36	54	300	236	128	222	10.9	1	1	B0	TS1
40B24LSHT	√	12	40	61	350	236	128	222	11.3	0	1	B0	TS1
40B24RSHT	√	12	40	61	350	236	128	222	11.3	1	1	B0	TS1
40B24LHT	√	12	40	61	350	236	128	222	11.2	0	3	B0	TS1
46B24LHT	√	12	45	70	350	237	128	222	11.8	0	3	B0	TS9
46B24RHT	√	12	45	70	350	237	128	222	11.8	1	3	B0	TS9
46B24LSHT	√	12	45	70	350	237	128	222	12	0	1	B0	TS9
46B24RSHT	√	12	45	70	350	237	128	222	12	1	1	B0	TS9
46B24LSHT	√	12	45	70	380	236	128	222	11.8	0	1	B0	TS1
46B24RSHT	√	12	45	70	380	236	128	222	11.8	1	1	B0	TS1
46B24LHT	×	12	45	70	350	236	128	222	11.7	0	3	B0	TS1
46B24LHT	√	12	45	70	350	236	128	222	11.7	0	3	B0	TS1
46B24XLSH T	×	12	45	70	380	236	136	222	11.8	0	1	B1	TS1
46B24RSHT	×	12	45	70	380	236	128	222	11.8	1	1	B0	TS1
46B24RHT	×	12	45	70	350	236	128	222	11.7	1	3	B0	TS1
46B24RHT	√	12	45	70	350	236	128	222	11.7	1	3	B0	TS1
48D23LHT	×	12	48	75	380	231.5	174.5	223	14.2	0	1	B1	TS1
48D23LHT	√	12	48	75	380	231.5	174.5	223	14.2	0	1	B1	TS1
50D23LHT	√	12	55	88	400	231.5	174.5	223	14.6	0	1	B1	TS1
75D23LHT	√	12	63	104	490	231.5	172	223	15.9	0	1	B0	TS1
75D23LHT	√	12	63	104	500	231.5	172	222.5	16.3	0	1	B0	TS7
48D26LHT	√	12	48	75	360	260	172	221	15.2	0	1	B01	TS1
48D26RHT	√	12	48	75	360	260	172	221	15.2	1	1	B01	TS1
50D26LHT	√	12	55	88	400	260	172	221	15.7	0	1	B01	TS1
50D26RHT	√	12	55	88	400	260	172	221	15.7	1	1	B01	TS1
55D26LHT	√	12	60	98	430	260	172	221	16.4	0	1	B01	TS1
55D26RHT	√	12	60	98	430	260	172	221	16.4	1	1	B01	TS1

65D26LHT	√	12	65	108	480	260	172	221	17.2	0	1	B01	TS1
65D26RHT	√	12	65	108	480	260	172	221	17.2	1	1	B01	TS1
62D31LHT	×	12	67	112	450	303	170	222	18.5	0	1	B1	TS1
62D31LHT	√	12	67	112	450	303	170	222	18.5	0	1	B1	TS1
62D31RHT	×	12	67	112	450	303	170	222	18.5	1	1	B1	TS1
62D31RHT	√	12	67	112	450	303	170	222	18.5	1	1	B1	TS1
70D31LHT	√	12	70	118	470	303	170	222	19.3	0	1	B1	TS1
70D31RHT	√	12	70	118	470	303	170	222	19.3	1	1	B1	TS1
75D31LHT	√	12	75	128	500	303	170	222	19.6	0	1	B1	TS1
75D31RHT	√	12	75	128	500	303	170	222	19.6	1	1	B1	TS1
95D31LHT	×	12	80	138	550	303	170	222	20.3	0	1	B1	TS1
95D31LHT	√	12	80	138	550	303	170	222	20.3	0	1	B1	TS1
95D31RHT	×	12	80	138	550	303	170	222	20.3	1	1	B1	TS1
95D31RHT	√	12	80	138	550	303	170	222	20.3	1	1	B1	TS1
105D31LHT	√	12	90	158	600	303	170	222	21.1	0	1	B1	TS1
105D31RHT	√	12	90	158	600	303	170	222	21.1	1	1	B1	TS1
110D31LHT	√	12	95	169	640	303	170	222	21.8	0	1	B1	TS1
110D31RHT	√	12	95	169	640	303	170	222	21.8	1	1	B1	TS1
80E41RHT	√	12	85	148	570	408	170	233	23.9	1	1	B0	TS8
90E41LHT	√	12	95	169	640	408	170	233	25.0	0	1	B0	TS8
90E41RHT	√	12	95	169	640	408	170	233	25.0	1	1	B0	TS8
95E41LHT	×	12	100	179	680	408	170	233	25.7	0	1	B0	TS8
105F51RHT	×	12	110	201	750	504	183.5	223	32.9	3	1	B0	TS8
130F51RHT	√	12	130	245	880	504	183.5	223	34.1	3	1	B0	TS8
120G51RHT	×	12	120	223	700	510	222	217	36.1	3	1	B0	TS8
135G51RHT	×	12	135	256	800	510	222	217	38.4	3	1	B0	TS8
145G51RHT	√	12	145	278	850	510	222	217	39.6	3	1	B0	TS8

150G51RHT	√	12	155	301	900	510	222	217	40.2	3	1	B0	TS8
150G51LHT	√	12	155	301	900	510	222	217	40.2	4	1	B0	TS8
160G51RHT	√	12	160	313	950	510	222	217	41.2	3	1	B0	TS8
170G51RHT	√	12	170	336	1000	510	221	222max	41.8	3	1	B0	TS8
175G51RHT	√	12	175	348	1050	510	222	217	42.9	3	1	B0	TS8
195G51RHT	√	12	180	360	1080	510	221	222Max	44.0	3	1	B0	TS8
155H52RHT	√	12	165	324	900	521	261	240.5	50.0	3	1	B0	TS8
155H52LHT	√	12	165	324	900	521	261	240.5	50.5	4	1	B0	TS8
68028HT	√	12	180	360	1000	518	274	236.5	52.1	3	1	B0	TS8
68038HT	√	12	180	360	1000	518	274	236.5	52.1	4	1	B0	TS8
69027HT	√	12	190	383	1050	518	274	236.5	52.8	3	1	B0	TS8
180H52RHT	×	12	190	383	1050	521	261	240.5	54.5	3	1	B0	TS8
190H52RHT	√	12	200	407	1100	521	261	240.5	54.1	3	1	B0	TS8
210H52LHT	√	12	220	456	1280	521	261	240.5	59.8	4	1	B0	TS8
210H52RHT	√	12	220	456	1280	521	261	240.5	59.8	3	1	B0	TS8



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: gvc@nt-rt.ru || сайт: <http://greven.nt-rt.ru/>